





↓ PRODUCT DESCRIPTION

Apollo 12 is a 12W recessed spotlight that can be mounted in either Trim or Trimless configurations. It features a tool-free interchangeable LED and lens system with a CRI98 - R9>90. The entire unit can be rotated 360°, and the spotlight allows for a tilt of up to 40°.

TRIM MOUNTING



TRIMLESS MOUNTING



↓ OUTPUT

12W

↓ LUMENS

1200lm

↓ CRI

IRC98
R9>90

↓ USE



↓ IP

IP 40

↓ POWER SUPPLY

700mA

↓ DIMMING



CASAMBI

DMX

↓ DEGREES

7°

10°

15°

25°

35°

ELL

↓ COLOUR TEMPERATURE

2700K

3000K

3500K

4000K

↓ COLOURS

BK

WH

CUSTOM

↓ STANDARDS COMPLIANCE

EN
62471

EN
60598-1

EN
60598-2

CE

III

↓ SOURCES

- Luminous flux according to Bining: **1200** lumens (for 4000K)
- Colour temperature : **2700K à 4000K**
- Service Range: 70 % of nominal flux after 50 000 hours
- Colour Rendering Index: **CRI 98 - R9>90**

↓ OPTICAL

- PMMA acrylic lens, efficiency ~90%
- Available degrees : **7°, 10°, 15°, 25°, 35° et Elliptic**

↓ ELECTRICAL

- Power supply **700mA ~ 18V**
- Reversible polarity and hot plug
- Power consumption to **12W** max, excluding supply
- Electrical Classification : Class III SELV device

↓ MECHANICAL

- Electronic circuit encased in a fire-proof polycarbonate housin
- Operating temperature : -5° +40°
- 360° rotation
- 40° tilt
- ROHS components
- Interior use only

↓ SPECIFICITIES

- 3 years guarantee

↓ SPOT NOMENCLATURE

Product Ref.	AP012			
Colour	Black		BK	
	White		WH	
	Custom		CU	
Temperature	2700K		27	
	3000K		30	
	3500K		35	
	4000K		40	
Degrees	7°			7
	10°			10
	15°			15
	25°			25
	35°			35
	Elliptic			ELL
REFERENCE	AP012	WH	27	25

↓ TRIM SUPPORT NOMENCLATURE

Trim support	ACAP012TR			
Colour	Black		BK	
	White		WH	
	Custom		CU	
REFERENCE	ACAP012TR	WH	C	

↓ TRIMLESS SUPPORT NOMENCLATURE


Trimless support	ACAP012TLC			
------------------	------------	--	--	--

ORDER REFERENCE (TRIM MOUNTING)



AP012-25-WH-27
Apollo12 - White(WH) -
2700K(27) - 25°(25).

+



ACAP012TRWHC
Trim support (WH = White)

=




ORDER REFERENCE (TRIMLESS MOUNTING)



AP012-25-WH-27
Apollo12 - White(WH) -
2700K(27) - 25°(25).

+




ACAP012TLC
Trimless support

=




↓ OPTICAL ACCESSORIES



ACAP012NIDABBK045C
Honey comb D45mm



ACAP012LENHOLXXC
(XX = 7°, 10°, 15°, 25°, 35° ou ELL)
Lens holder



ACAP012LEDHOLAPXX
(XX = 27, 30, 35 ou 40 (00K))
LED holder

↓ BEAN ANGLE

