


# Spot C5 outdoor

REF : SC050-AA

SPOT EN



## ↓ PRODUCT DESCRIPTION

The C5 outdoor projector is the outdoor version of the C5 spotlight. Powerful despite its small size, this spotlight enables high-quality outdoor lighting with unmatched efficiency and reliability.

## ↓ OUTPUT

8W

## ↓ LUMENS

800lm

## ↓ CRI

IRC90

## ↓ USE

## ↓ IP

IP 68

## ↓ POWER SUPPLY

700mA

## ↓ DEGREES

15°

25°

40°

ELL

## ↓ DIMMING

1-10V

0-10V

CASAMBI

DMX

## ↓ COLOUR TEMPERATURE

2700K

3000K

3500K

4000K

## ↓ STANDARDS COMPLIANCE

EN 62471

EN 60598-1

EN 60598-2

CE

III

ETL

## ↓ COLOURS

BK

CUSTOM

↓ SOURCES

- Luminous flux according to Bining: **800 lumens**
- Colour temperature : de **2700K to 4000K**
- Service Range: 70 % of nominal flux after 50 000 hours
- Colour Rendering Index: CRI 9

↓ OPTICAL

- PMMA acrylic lens, efficiency ~90%
- Available degrees : **15°, 25°, 40°, Elliptic**

↓ ELECTRICAL

- Power supply **700mA**
- Reversible polarity and hot plug
- Power consumption to **8W** max, excluding supply
- Electrical Classification : Class III SELV device

↓ MECHANICAL

- Electronic circuit encased in a fire-proof polycarbonate housin
- Fixing by magnetic contact
- Operating temperature : -5° +40°
- Articulating base
- ROHS components
- Interior use only




↓ SPECIFICITIES

- 3 years guarantee

↓ NOMENCLATURE

Product Ref.	<b>SC050</b>			
Specification	<b>Simple peg</b>	<b>AA</b>		
Degrees	<b>15°</b>			<b>15</b>
	<b>25°</b>			<b>25</b>
	<b>40°</b>			<b>40</b>
	<b>Elliptic</b>			<b>ELL</b>
Colours	<b>Noir</b>			<b>BK</b>
	<b>Custom</b>			<b>CU</b>
Temperature	<b>2700K</b>			<b>27</b>
	<b>3000K</b>			<b>30</b>
	<b>3500K</b>			<b>35</b>
	<b>4000K</b>			<b>40</b>
REFERENCE	<b>SC050</b>	<b>AA</b>	<b>40</b>	<b>BK 27</b>

## BEAM ANGLE



# Spot C5 outdoor


## ACCESSORIES

REF : SC050-AA


SPOT

EN

### ↓ OPTICAL ACCESSORIES



**HONEYCOMB**  
SPOT C5



**SNOOT**  
SPOT C5